

Review of [Dynapumps.com.au](https://dynapumps.com.au)

Generated on 2022-02-24

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography



Good



To Improve



Errors



Not Important



Hard to solve



Little tough to solve



Easy to solve



No action necessary



Title Tag



Dynapumps - Industrial Pumps, Pump Service & Repair

Length: 56 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Meta Description



Dynapumps offer complete industrial pump solutions of superior quality and engineered design, site service, project management, vacuum, valves, controls, and installation.

Length: 171 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



Meta Keywords



centrifugal pumps, positive displacement pumps, medium to rough vacuum, high to ultra high vacuum, pump service, repairs, spare parts, pump packages, Site Support, Fabrication, Design & Engineering, Supply, Project Installation, Commissioning and Testing, Aftermarket Site Service, PumpWorks 610, PumpWorks Industrial, Patterson, Grundfos, Pioneer Pump, Leistritz, Hydra-Cell, Boerger, SEEPEX, Argal Chemical Pumps, Sparmax, Agilent Technologies, Anvr, Southern Cross, Dynavac, Valisi, Sulzer, Ebara, Supavac, Ensival Moret, Sero Pump Systems, Finder Pompe, Pneumofore, Thomas, Flygt, TechnipFMC, Netzsch, Bran Luebbe, Graco Husky, Asco Pompe, BIOBASE, Dellmeco, Tuthill, Micropump, TXAM, Greenco, Northey, Inficon, KVC, Blackhawk, CP Pumpen, Tacmina, Ebsray Pumps, Seko, March Pumpen, OBL, Assoma, APV, Victor Pumps, Waukesha Cherry-Burrell, Flo-max, pumps brisbane, pumps queensland, pumps QLD

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.



Google Preview



[Dynapumps - Industrial Pumps, Pump Service & Repair](#)

[dynapumps.com.au/](#)

Dynapumps offer complete industrial pump solutions of superior quality and engineered design, site service, project management, vacuum, valves, controls, and installation.

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

<H2> Navigation </H2>

<H2> More Than Just Pumps. Complete solutions for all industries and applications </H2>

<H2> Partnered with world-leading Pump Manufacturers </H2>

<H2> Quality On-site Service and Maintenance capabilities for the life of the project </H2>

<H2> Decades of experience providing solutions for the Water & Wastewater industry </H2>

<H2> Quality pumps to handle numerous types of liquids, temperatures and viscosities </H2>

<H2> Offering reliable, heavy-duty pump systems and onsite service for the mining sector </H2>

<H2> Supplying pump packages designed for extreme conditions and highly corrosive environments </H2>

<H2> Extensive experience in all types of Fire Pump systems, AS2941 & NFPA20 Standard </H2>

<H2> Our Products & Services </H2>

<H2> Site Support </H2>

<H2> Project Management </H2>

<H2> About Us </H2>

<H2> Partnered with leading Brands </H2>

<H2> Contact Dynapumps for complete pump solutions for the life of the project </H2>

<H2> Contact Us </H2>

<H3> Supplying a wide range of pump & vacuum solutions </H3>

<H3> Browse by Industry </H3>

<H3> Commissioning is an essential part of any installation before it's in full operation. </H3>

<H3> Every project by Dynapumps of any size is assigned to the Project Management team. </H3>

<H3> Providing superior Pump & Vacuum solutions since 1981 </H3>

<H3> Our Locations </H3>

<H3> Browse Products by Type </H3>

<H3> Browse Products by Industry </H3>

<H3> Browse Products by Brand </H3>

<H3> Services </H3>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud

pump 21 please 13 enter 10 products 9 service 9
vacuum 8 pumps 8 project 7 solutions 6 supply 6
more 5 water 5 name 5 email 5 site 5

This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.


Keyword Consistency

Keywords	Freq	Title	Desc	<H>
pump	21	✓	✓	✓
please	13	✗	✗	✗
enter	10	✗	✗	✗
products	9	✗	✗	✓
service	9	✓	✓	✓
vacuum	8	✗	✓	✓
pumps	8	✓	✓	✓
project	7	✗	✓	✓
solutions	6	✗	✓	✓
supply	6	✗	✗	✓
more	5	✗	✗	✓
water	5	✗	✗	✓
name	5	✗	✗	✗
email	5	✗	✗	✗
site	5	✗	✓	✓

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

Alt Attribute

We found 47 images on this web page
 20 ALT attributes are empty or missing.

/theme/dynapumps2019comau/assets/public/Image/logo-1x.png
/theme/dynapumps2019comau/assets/public/Image/banners/homeNEW2-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/banners/HomeBrand.jpg
/theme/dynapumps2019comau/assets/public/Image/banners/home2-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/banners/waterIndustry-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/banners/Food-Processing-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/banners/Mining1-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/banners/Oil-and-Gas-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/banners/FirePump-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/product1-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/product2-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/product3-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/product4-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/product5-lab1.jpg
/theme/dynapumps2019comau/assets/public/Image/product6-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/site-support1-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/project_man.jpg
/theme/dynapumps2019comau/assets/public/Image/cta-bg-1x.jpg
/theme/dynapumps2019comau/assets/public/Image/logo-white-1x.png
/theme/dynapumps2019comau/assets/public/Image/clue-logo-2x.png

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.

Text/HTML Ratio

HTML to Text Ratio is: **5.96%**

Text content size 6692 bytes

Total HTML size 112189 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



GZIP compression



Wow! It's GZIP Enabled.

✓ Your webpage is compressed from 110 KB to 30 KB (72.6 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.





It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 54.153.134.249 does not redirect to dynapumps.com.au
  

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address.
Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider.
If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Good, all URLs look clean and friendly
  

Your site's URLs contain unnecessary elements that make them look complicated.
A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.
Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs
  

Great, you are not using ?underscores (these_are_underscores) in your URLs.
While Google treats hyphens as word separators, it does not for underscores.



WWW Resolve



Warning, no 301 redirects are in place to redirect traffic to your preferred domain. Pages that load successfully both with and without www. are treated as duplicate content!

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.



XML Sitemap



Oh no, XML Sitemap file not found!
<http://dynapumps.com.au/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.



Robots.txt



Oh no, Robots.txt file not found!
<http://dynapumps.com.au/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.



Embedded Objects

Perfect, no embedded objects has been detected on this page



Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.



Iframe

Oh no, iframe content has been detected on this page



Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.



Domain Registration

Exactly how many years and months



Domain Age: Not Available

Created Date: Not Available

Updated Date: 3rd-Jun-2020

Expiry Date: Not Available

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.



Indexed Pages



Indexed pages in search engines

39 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.



Backlinks Counter



Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL

<http://dynapumps.com.au>

Length: 9 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., <http://www.mysite.com/en/products>).



Favicon

 Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.



Page Size

110 KB (World Wide Web average is 320 Kb)



Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.



Load Time

2.89 second(s)



Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to make your website run faster.



Language

Oh no, you have not declared your language
Declared Language: Unknown



Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.

Domain Availability

Domains (TLD)	Status
dynapumps.com	Already Registered
dynapumps.net	Already Registered
dynapumps.org	Available
dynapumps.biz	Already Registered
dynapumps.us	Available

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
xynapumps.au	Already Registered
synapumps.au	Already Registered
wynapumps.au	Already Registered
eynapumps.au	Already Registered
rynapumps.au	Already Registered

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy



Email address has been found in plain text!

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Awesome! This page is mobile-friendly!
Your mobile friendly score is 80/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Bad, embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.



The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP

Server IP	Server Location	Service Provider
54.79.81.144	AustraliaTimezone	AmazonOrganization

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

Tips for authoring fast-loading HTML pages:

- ✓ Perfect, your website has few CSS files.
- ✗ Too bad, your website has too many JavaScript files.
- ✓ Perfect, your website doesn't use nested tables.
- ✗ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics

Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.



Doc Type

Your Web Page doctype is HTML 5



The Doctype is used to instruct web browsers about the document type being used.

For example, what version of HTML the page is written in.

Declaring a doctype helps web browsers to render content correctly.



W3C Validity

W3C not validated



W3C is a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.

Run the W3C validation service whenever changes are made to your website's code.



Encoding



Great, language/character encoding is specified: UTF-8



Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook:  Dynapumps

 Twitter:  Dynapumps

 Instagram: 

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.



Traffic Rank



1442492nd most visited website in the World.

A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.



Visitors Localization



Your website is popular on following countries:

Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.



Estimated Worth



\$1,488 USD

Just a estimated worth of your website based on Alexa Rank.



In-Page Links



We found a total of 146 links including both internal & external links of your site

Anchor	Type	Follow
Home	Internal Links	Dofollow
About Us	Internal Links	Dofollow
News	Internal Links	Dofollow
Careers	Internal Links	Dofollow
1300 788 579	Internal Links	Dofollow
Products & Services	Internal Links	Dofollow
Spare Parts	Internal Links	Dofollow
Service and Repairs	Internal Links	Dofollow
Pump Manufacturers	Internal Links	Dofollow
Site Support	Internal Links	Dofollow
Fabrication Capabilities	Internal Links	Dofollow
Design & Engineering	Internal Links	Dofollow
Supply	Internal Links	Dofollow
Project Installation	Internal Links	Dofollow
Commissioning and Testing	Internal Links	Dofollow
Aftermarket Site Service	Internal Links	Dofollow
Project Management	Internal Links	Dofollow
Case studies	Internal Links	Dofollow
Mining	Internal Links	Dofollow
Energy	Internal Links	Dofollow
Fire	Internal Links	Dofollow
Water	Internal Links	Dofollow
Medical	Internal Links	Dofollow
Vacuum	Internal Links	Dofollow
Contact Us	Internal Links	Dofollow
Australian offices	Internal Links	Dofollow
International Offices	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Pump Package Solutions	Internal Links	Dofollow
Centrifugal Pumps	Internal Links	Dofollow
Positive Displacement Pumps	Internal Links	Dofollow
Vacuum & Air Pumps	Internal Links	Dofollow
Freeze Dryers & Lab Equipment	Internal Links	Dofollow
Mining	Internal Links	Dofollow
Oil & GAS	Internal Links	Dofollow
Water Supply & Treatment	Internal Links	Dofollow
Power Generation	Internal Links	Dofollow
Chemical & Processing	Internal Links	Dofollow
Food & Beverage	Internal Links	Dofollow
Agriculture	Internal Links	Dofollow
Medical	Internal Links	Dofollow
Scientific & Research	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow

No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Perth	Internal Links	Dofollow
Sydney	Internal Links	Dofollow
Brisbane	Internal Links	Dofollow
Melbourne	Internal Links	Dofollow
Adelaide	Internal Links	Dofollow
Chile	Internal Links	Dofollow
Panama	Internal Links	Dofollow
Terms of Use	Internal Links	Dofollow
Privacy Policy	Internal Links	Dofollow
Quality Policy	Internal Links	Dofollow
Health & Safety Policy	Internal Links	Dofollow
Environmental Policy	Internal Links	Dofollow
File Share	Internal Links	Dofollow
Valves, Mixers & Heat Exchangers	Internal Links	Dofollow
Freeze Dryers	Internal Links	Dofollow
- Laboratory Freeze Dryers	Internal Links	Dofollow
- Pilot Freeze Dryers	Internal Links	Dofollow
- Food Freeze Dryers	Internal Links	Dofollow
- Pharmaceutical & Production	Internal Links	Dofollow
Water Supply & Treatment	Internal Links	Dofollow
Pharmaceutical	Internal Links	Dofollow
Wood Treatment & Finishing	Internal Links	Dofollow
Environmental	Internal Links	Dofollow
Electronic Technology & Research	Internal Links	Dofollow
Plastic Forming	Internal Links	Dofollow
Printing	Internal Links	Dofollow
Metal & Stone Processing	Internal Links	Dofollow
APV	Internal Links	Dofollow
Boerger	Internal Links	Dofollow
Bran Luebbe	Internal Links	Dofollow
Flo-max	Internal Links	Dofollow
Hydra-Cell	Internal Links	Dofollow
Leistritz	Internal Links	Dofollow
PumpWorks 610	Internal Links	Dofollow
PumpWorks Industrial	Internal Links	Dofollow
Waukesha Cherry-Burrell	Internal Links	Dofollow
Patterson	Internal Links	Dofollow
Grundfos	Internal Links	Dofollow

Pioneer Pump	Internal Links	Dofollow
Argal Chemical Pumps	Internal Links	Dofollow
Sparmax	Internal Links	Dofollow
Agilent Technologies	Internal Links	Dofollow
Anver	Internal Links	Dofollow
Southern Cross	Internal Links	Dofollow
Dynavac	Internal Links	Dofollow
Valisi	Internal Links	Dofollow
SEEPEX	Internal Links	Dofollow
Sulzer	Internal Links	Dofollow
Ebara	Internal Links	Dofollow
Supavac	Internal Links	Dofollow
Ensival Moret	Internal Links	Dofollow
Sero Pump Systems	Internal Links	Dofollow
Finder Pompe	Internal Links	Dofollow
Pneumofore	Internal Links	Dofollow
Wilo	Internal Links	Dofollow
Peerless Pump	Internal Links	Dofollow
Thomas	Internal Links	Dofollow
Flygt	Internal Links	Dofollow
TechnipFMC	Internal Links	Dofollow
Netzsch	Internal Links	Dofollow
Graco	Internal Links	Dofollow
Asco Pompe	Internal Links	Dofollow
BIOBASE	Internal Links	Dofollow
Dellmeco	Internal Links	Dofollow
Tuthill	Internal Links	Dofollow
TXAM	Internal Links	Dofollow
Greenco	Internal Links	Dofollow
Northey	Internal Links	Dofollow
Inficon	Internal Links	Dofollow
Blackhawk	Internal Links	Dofollow
CP Pump Systems	Internal Links	Dofollow
Tacmina	Internal Links	Dofollow
Ebsray Pumps	Internal Links	Dofollow
Seko	Internal Links	Dofollow
March Pumpen	Internal Links	Dofollow
OBL	Internal Links	Dofollow
Assoma	Internal Links	Dofollow
Victor Pumps	Internal Links	Dofollow
Danfoss	Internal Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow
No Anchor Text	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links. Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links. Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



Broken links were found on this web page

<http://dynapumps.com.au/>
<http://dynapumps.com.au/about-us>
<http://dynapumps.com.au/news>
<http://dynapumps.com.au/contact-us/careers>
<http://dynapumps.com.au/products-services>
<http://dynapumps.com.au/products-services/spare-parts>
<http://dynapumps.com.au/products-services/service-and-repairs>
<http://dynapumps.com.au/products-services/pump-manufacturers>
<http://dynapumps.com.au/site-support>
<http://dynapumps.com.au/site-support/fabrication-capabilities>
<http://dynapumps.com.au/site-support/design-engineering>
<http://dynapumps.com.au/site-support/supply>
<http://dynapumps.com.au/site-support/project-installation>
<http://dynapumps.com.au/site-support/commissioning-and-testing>
<http://dynapumps.com.au/site-support/aftermarket-site-service>
<http://dynapumps.com.au/project-management>
<http://dynapumps.com.au/case-studies>
<http://dynapumps.com.au/case-studies/mining>
<http://dynapumps.com.au/case-studies/energy>
<http://dynapumps.com.au/case-studies/fire>
<http://dynapumps.com.au/case-studies/water>
<http://dynapumps.com.au/case-studies/medical>
<http://dynapumps.com.au/case-studies/vacuum>
<http://dynapumps.com.au/contact-us>
<http://dynapumps.com.au/contact-us/australian-offices>
<http://dynapumps.com.au/contact-us/international-offices>
<https://www.dynapumps.com.au/industry/water-supply-treatment>
<https://www.dynapumps.com.au/industry/food-processing>
<https://www.dynapumps.com.au/industry/mining>
<https://www.dynapumps.com.au/industry/oil-and-gas>
<http://dynapumps.com.au/type/pump-package-solutions>
<http://dynapumps.com.au/type/centrifugal>
<http://dynapumps.com.au/type/positive-displacement>
<http://dynapumps.com.au/type/vacuum-air>
<http://dynapumps.com.au/type/laboratory-equipment>
<http://dynapumps.com.au/industry/mining>
<http://dynapumps.com.au/industry/oil-and-gas>
<http://dynapumps.com.au/water-treatment>
<http://dynapumps.com.au/industry/power-generation>
<http://dynapumps.com.au/industry/chemical-and-processing>
<http://dynapumps.com.au/industry/food-beverage>
<http://dynapumps.com.au/industry/agriculture>
<http://dynapumps.com.au/industry/medical>
<http://dynapumps.com.au/industry/scientific-research>
<https://www.dynapumps.com.au/brand/hydra-cell>
<https://www.dynapumps.com.au/brand/boerger>
<https://www.dynapumps.com.au/brand/flo-max>
<https://www.dynapumps.com.au/brand/argal-chemical-pumps>
<https://www.dynapumps.com.au/brand/pumpworks-610>
<https://www.dynapumps.com.au/brand/dynavac>

<https://www.dynapumps.com.au/brand/leistriz>
<https://www.dynapumps.com.au/brand/supavac>
<https://www.dynapumps.com.au/brand/waukesha-cherry-burrell>
<https://www.dynapumps.com.au/brand/valisi>
<https://www.dynapumps.com.au/brand/blackhawk>
<https://www.dynapumps.com.au/brand/victor-pumps>
<https://www.dynapumps.com.au/brand/cp-pumpen>
<https://www.dynapumps.com.au/brand/technipfmc>
<https://www.dynapumps.com.au/brand/patterson>
<https://www.dynapumps.com.au/brand/apv>
<https://www.dynapumps.com.au/brand/pumpworks-industrial>
<http://dynapumps.com.au/contact-us#location-perth>
<http://dynapumps.com.au/contact-us#location-sydney>
<http://dynapumps.com.au/contact-us#location-brisbane>
<http://dynapumps.com.au/contact-us#location-melbourne>
<http://dynapumps.com.au/contact-us/australian-offices#location-adelaide>
<http://dynapumps.com.au/contact-us#location-santiago>
<http://dynapumps.com.au/contact-us#location-panama>
<http://dynapumps.com.au/terms-of-use>
<http://dynapumps.com.au/privacy-policy>
<http://dynapumps.com.au/quality-policy>
<http://dynapumps.com.au/health-safety-policy>
<http://dynapumps.com.au/environmental-policy>
<http://dynapumps.com.au/file-share>
<http://dynapumps.com.au/type/valves-mixers-heat-exchangers>
<http://dynapumps.com.au/type/freeze-dryers>
<http://dynapumps.com.au/type/freeze-dryers/laboratory-freeze-dryers>
<http://dynapumps.com.au/type/freeze-dryers/pilot-freeze-dryers>
<http://dynapumps.com.au/type/freeze-dryers/food-freeze-dryers>
<http://dynapumps.com.au/type/freeze-dryers/pharmaceutical-production>
<http://dynapumps.com.au/industry/water-supply-treatment>
<http://dynapumps.com.au/industry/pharmaceutical>
<http://dynapumps.com.au/industry/wood-treatment-finishing>
<http://dynapumps.com.au/industry/environmental>
<http://dynapumps.com.au/industry/electronic-technology-research>
<http://dynapumps.com.au/industry/plastic-forming>
<http://dynapumps.com.au/industry/printing>
<http://dynapumps.com.au/industry/metal-stone-processing>
<http://dynapumps.com.au/brand/apv>
<http://dynapumps.com.au/brand/boerger>
<http://dynapumps.com.au/brand/bran-luebbe>
<http://dynapumps.com.au/brand/flo-max>
<http://dynapumps.com.au/brand/hydra-cell>
<http://dynapumps.com.au/brand/leistriz>
<http://dynapumps.com.au/brand/pumpworks-610>
<http://dynapumps.com.au/brand/pumpworks-industrial>
<http://dynapumps.com.au/brand/waukesha-cherry-burrell>
<http://dynapumps.com.au/brand/patterson>
<http://dynapumps.com.au/brand/grundfos>
<http://dynapumps.com.au/brand/pioneer-pump>
<http://dynapumps.com.au/brand/argal-chemical-pumps>
<http://dynapumps.com.au/brand/sparmax>
<http://dynapumps.com.au/brand/agilent-technologies>
<http://dynapumps.com.au/brand/anver>

<http://dynapumps.com.au/brand/southern-cross>
<http://dynapumps.com.au/brand/dynavac>
<http://dynapumps.com.au/brand/valisi>
<http://dynapumps.com.au/brand/seeplex>
<http://dynapumps.com.au/brand/sulzer>
<http://dynapumps.com.au/brand/ebara>
<http://dynapumps.com.au/brand/supavac>
<http://dynapumps.com.au/brand/ensival-moret>
<http://dynapumps.com.au/brand/sero-pump-systems>
<http://dynapumps.com.au/brand/finder-pompe>
<http://dynapumps.com.au/brand/pneumofore>
<http://dynapumps.com.au/brand/wilo>
<http://dynapumps.com.au/brand/peerless-pump>
<http://dynapumps.com.au/brand/thomas>
<http://dynapumps.com.au/brand/flygt>
<http://dynapumps.com.au/brand/technipmc>
<http://dynapumps.com.au/brand/netzsch>
<http://dynapumps.com.au/brand/graco>
<http://dynapumps.com.au/brand/asco-pompe>
<http://dynapumps.com.au/brand/biobase>
<http://dynapumps.com.au/brand/dellmeco>
<http://dynapumps.com.au/brand/tuthill>
<http://dynapumps.com.au/brand/txam>
<http://dynapumps.com.au/brand/greenco>
<http://dynapumps.com.au/brand/northey>
<http://dynapumps.com.au/brand/inficon>
<http://dynapumps.com.au/brand/blackhawk>
<http://dynapumps.com.au/brand/cp-pump-systems>
<http://dynapumps.com.au/brand/tacmina>
<http://dynapumps.com.au/brand/ebsray-pumps>
<http://dynapumps.com.au/brand/seko>
<http://dynapumps.com.au/brand/march-pumpen>
<http://dynapumps.com.au/brand/obl>
<http://dynapumps.com.au/brand/assoma>
<http://dynapumps.com.au/brand/victor-pumps>
<http://dynapumps.com.au/brand/danfoss>
<http://www.clue.com.au>

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.