



Review of Gjkwaterproofing.com.au

Generated on 2023-04-20

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table	\mathbf{of}	Contents
--------------	---------------	-----------------

Search Engine Optimization Usability

Mobile Technologies

Visitors Social

Link Analysis

Iconography

Good Good Hard to solve

Errors Easy to solve

Not Important No action necessary

Search Engine Optimization



Expert Residential & Commercial Waterproofing Company Sydney

Length: 60 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Looking for the best waterproofing contractors in Sydney? GJK Waterproofing Services has over 25 years of professional experience in waterproofing commercial and residential buildings. Call us for expert advice!

Length: 211 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.

Meta Keywords

No Keywords

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.





Expert Residential & Commercial Waterproofing Company Sydney gjkwaterproofing.com.au/

Looking for the best waterproofing contractors in Sydney? GJK Waterproofing Services has over 25 years of professional experience in waterproofing commercial and residential buildings. Call us for expert advice!

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.





<H1> <H2> <H3> <H4> <H5> <H6>
1 2 18 10 3 0

< 11> Expert Waterproofing Contractors in Sydney: Perfect To Protect Residential and Commercial Buildings < 11> <H2> GJK waterproofing is a licensed business, fully insured. </H2> <H2> GJK waterproofing is a licensed business, fully insured. </H2> <H3> Highly trusted partner in Waterproofing service in Sydney </H3> <H3> Need Professional Waterproofing Services In Sydney? </H3> <H3> OUR COMMITMENT </H3> <H3> OUR TOP SERVICES </H3> <H3> BATHROOM WATERPROOFING </H3> <H3> RESIDENTIAL WATERPROOFING </H3> <H3> COMMERCIAL WATERPROOFING </H3> <H3> ROOFTOP WATERPROOFING </H3> <H3> OUTDOOR WATERPROOFING </H3> <H3> RETAINING WALLS WATERPROOFING </H3> <H3> PLANTER BOXES WATERPROOFING </H3> <H3> BASEMENT WATERPROOFING </H3> <H3> FOUNDATION WATERPROOFING </H3> <H3> Why Choose Us </H3> <H3> TESTIMONIALS </H3> <H3> Christy </H3> <H3> John </H3> <H3> Mathew </H3> <H4> OUR UNCOMPROMISING STANDARDS AND SUPERIOR WATERPROOFING TECHNOLOGY MEANS: </H4> <H4> Low Cost </H4> <H4> Trained Staff </H4> <H4> Technology </H4> <H4> 24/7 Service </H4> <H4> Service </H4> <H4> Standards </H4> <H4> Usefull Links </H4> <H4> Our Services </H4> <H4> Contact Us </H4> <H5> BEST QUALITY </H5>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

<H5> ON TIME </H5>
<H5> EXPERIENCED </H5>

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.







This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<h></h>
waterproofing	53	~	~	~
services	23	×	✓	~
commercial	15	✓	✓	~
sydney	14	✓	✓	~
more	10	×	×	×
water	9	✓	✓	~
best	9	×	✓	~
contractors	8	×	✓	*
team	8	×	×	×
have	8	×	×	×
basement	7	×	×	~
residential	7	✓	✓	~
need	7	×	×	~
bathroom	6	×	×	~
foundation	6	×	×	-

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.





We found 9 images on this web page **X** 6 ALT attributes are empty or missing.

/wp-content/uploads/2021/10/20200618102551_clerina.jpg
/wp-content/uploads/2021/10/20200618102542_clerina.jpg
/wp-content/uploads/2021/10/20200618063417_clerina.jpg
/wp-content/uploads/2021/10/20200618102607_clerina.png
/wp-content/uploads/2021/10/20200618063417_clerina.jpg
/wp-content/uploads/2021/10/20200618102630_clerina.png

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.



HTML to Text Ratio is: 12.08%

Text content size 11362 bytes Total HTML size 94064 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



Wow! It's GZIP Enabled.

✓ Your webpage is compressed from 92 KB to 20 KB (78.6 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.



// IP Canonicalization

No your domain IP 68.168.213.74 does not redirect to gjkwaterproofing.com.au

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address.

Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider.

If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

URL Rewrite

Warning! We have detected parameters in a massive number of URLs

Your site's URLs contain unnecessary elements that make them look complicated.

A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.

Clean URLs are also useful when shared on social media as they explain the page's content.

Underscores in the URLs

Oh no, you are using underscores (these_are_underscores) in your URLs

000

Great, you are not using ?underscores (these_are_underscores) in your URLs.

While Google treats hyphens as word separators, it does not for underscores.





Great, a redirect is in place to redirect traffic from your non-preferred domain.

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.



Good, you have XML Sitemap file! http://gjkwaterproofing.com.au/sitemap.xml

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.



Good, you have Robots.txt file! http://gjkwaterproofing.com.au/robots.txt

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.





Perfect, no embedded objects has been detected on this page

Embedded Objects such as Flash. It should only be used for specific enhancements.

Although Flash content often looks nicer, it cannot be properly indexed by search engines.

Avoid full Flash websites to maximize SEO.



Perfect, no Iframe content has been detected on this page

Frames can cause problems on your web page because search engines will not crawl or index the content within them.

Avoid frames whenever possible and use a NoFrames tag if you must use them.

O Domain Registration

Exactly how many years and months

Domain Age: Not Available

Created Date: Not Available

Updated Date: 3rd-Aug-2022

Expiry Date: Not Available

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.

Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.





Indexed pages in search engines

0 Page(s

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.



Number of backlinks to your website

529 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site. Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



Usability



http://gjkwaterproofing.com.au

Length: 16 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g.,

http://www.mysite.com/en/products).



Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.

Custom 404 Page Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.





92 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.



0.75 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to to make your website run faster.



Good, you have declared your language Declared Language: EN-US

Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.



Domain Availability

Domains (TLD)	Status
gjkwaterproofing.com	Available
gjkwaterproofing.net	Available
gjkwaterproofing.org	Already Registered
gjkwaterproofing.biz	Already Registered
gjkwaterproofing.us	Available

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
gjkwaterprofing.au	Already Registered
rjkwaterproofing.au	Already Registered
fjkwaterproofing.au	Already Registered
vjkwaterproofing.au	Already Registered
tjkwaterproofing.au	Already Registered

Register the various typos of your domain to protect your brand from cybersquatters.





Email address has been found in plain text!

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile



Awesome! This page is mobile-friendly! Your mobile friendly score is 80/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.











EXPERT WATERPROOFII

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.



Technologies



Server IP	Server Location	Service Provider	
89.116.133.17	Not Available	Not Available	

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.



Tips for authoring fast-loading HTML pages:

- * Too bad, your website has too many CSS files.
- X Too bad, your website has too many JavaScript files.
- Perfect, your website doesn't use nested tables.
- 💢 Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

???By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.



Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.





Your Web Page doctype is HTML 5

The Doctype is used to instruct web browsers about the document type being used.

For example, what version of HTML the page is written in.

Declaring a doctype helps web browsers to render content correctly.

W3C Validity

W3C not validated

W3Cis a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index.

Run the W3C validation service whenever changes are made to your website's code.

Encoding

Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.



Social



Your social media status







Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Visitors

Traffic Rank

No Global Rank

A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:

Popularity at	None	
Regional Rank	None	

We recommend that you book the domain names for the countries where your ??website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth \$60 USD

Just a estimated worth of your website based on Alexa Rank.

Link Analysis



We found a total of 45 links including both internal & external links of your site

No Anchor Text Internal Links Dofollow No Anchor Text Internal Links Dofollow Home Internal Links Dofollow About Us Internal Links Dofollow Our Services Internal Links Dofollow BALCONY & TERRACE WATERPROOFING Internal Links Dofollow BASEMENT WATERPROOFING Internal Links Dofollow BASHIROM WATERPROOFING Internal Links Dofollow COMMERCIAL WATERPROOFING Internal Links Dofollow FOUNDATION WATERPROOFING Internal Links Dofollow INDOOR WATERPROOFING Internal Links Dofollow OUTDOOR WATERPROOFING Internal Links Dofollow PLANTIER BOX WATERPROOFING Internal Links Dofollow RESIDENTIAL WATERPROOFING Internal Links Dofollow RESIDENTIAL WATERPROOFING Internal Links Dofollow SWIMMING POOL WATERPROOFING Internal Links Dofollow Services Areas Internal Links Dofollow Sydney Internal Links Dofollow <	
Home About Us Dofollow About Us Internal Links Dofollow Internal Links Dofollow Internal Links Dofollow BALCONY & TERRACE WATERPROOFING Internal Links BASEMENT WATERPROOFING Internal Links Dofollow BASEMENT WATERPROOFING Internal Links Dofollow BATHROOM WATERPROOFING Internal Links Dofollow COMMERCIAL WATERPROOFING Internal Links Dofollow FOUNDATION WATERPROOFING Internal Links Dofollow INDOOR WATERPROOFING Internal Links Dofollow INDOOR WATERPROOFING Internal Links Dofollow PLANTER BOX WATERPROOFING Internal Links Dofollow RETAINING WALLS WATERPROOFING Internal Links Dofollow RESIDENTIAL WATERPROOFING Internal Links Dofollow ROOFTOP WATERPROOFING Internal Links Dofollow SWIMMING POOL WATERPROOFING Internal Links Dofollow Services Areas Internal Links Dofollow Gallery Internal Links Dofollow Internal Links Dofollow Gallery Internal Links Dofollow Internal Links Dofollow Gallery Internal Links Dofollow Internal Links Dofollow Request a Quote Internal Links Dofollow Request a Quote Internal Links Dofollow Read more Internal Links Dofollow	
About Us Our Services Internal Links Dofollow BALCONY & TERRACE WATERPROOFING BASEMENT WATERPROOFING Internal Links BATHROOM WATERPROOFING Internal Links BATHROOM WATERPROOFING Internal Links BOfollow BATHROOM WATERPROOFING Internal Links BOfollow COMMERCIAL WATERPROOFING Internal Links Dofollow FOUNDATION WATERPROOFING Internal Links Dofollow INDOOR WATERPROOFING Internal Links Dofollow INDOOR WATERPROOFING Internal Links Dofollow PLANTER BOX WATERPROOFING Internal Links Dofollow RETAINING WALLS WATERPROOFING Internal Links Dofollow RESIDENTIAL WATERPROOFING Internal Links Dofollow ROOFTOP WATERPROOFING Internal Links Dofollow SWIMMING POOL WATERPROOFING Internal Links Dofollow Services Areas Internal Links Dofollow Gallery Internal Links Dofollow Gallery Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow Commercial properties Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow	
Our Services BALCONY & TERRACE WATERPROOFING BASEMENT WATERPROOFING BASEMENT WATERPROOFING BATHROOM WATERPROOFING BATHROOFING BATHROOFIN	
BALCONY & TERRACE WATERPROOFING BASEMENT WATERPROOFING Internal Links Dofollow BASEMENT WATERPROOFING Internal Links Dofollow BATHROOM WATERPROOFING Internal Links Dofollow COMMERCIAL WATERPROOFING Internal Links Dofollow FOUNDATION WATERPROOFING Internal Links Dofollow INDOOR WATERPROOFING Internal Links Dofollow OUTDOOR WATERPROOFING Internal Links Dofollow PLANTER BOX WATERPROOFING Internal Links Dofollow RETAINING WALLS WATERPROOFING Internal Links Dofollow RESIDENTIAL WATERPROOFING Internal Links Dofollow ROOFTOP WATERPROOFING Internal Links Dofollow SWIMMING POOL WATERPROOFING Internal Links Dofollow Services Areas Internal Links Dofollow Gallery Internal Links Dofollow Gallery Internal Links Dofollow Contact us Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow Read more Internal Links Dofollow	
BASEMENT WATERPROOFING BATHROOM WATERPROOFING BATHROOM WATERPROOFING Internal Links Dofollow COMMERCIAL WATERPROOFING Internal Links FOUNDATION WATERPROOFING Internal Links Internal Link	
BATHROOM WATERPROOFING COMMERCIAL WATERPROOFING Internal Links Dofollow FOUNDATION WATERPROOFING Internal Links Dofollow INDOOR WATERPROOFING Internal Links Dofollow OUTDOOR WATERPROOFING Internal Links Dofollow PLANTER BOX WATERPROOFING Internal Links Dofollow RETAINING WALLS WATERPROOFING Internal Links Dofollow RESIDENTIAL WATERPROOFING Internal Links Dofollow ROOFTOP WATERPROOFING Internal Links Dofollow SWIMMING POOL WATERPROOFING Internal Links Dofollow Services Areas Internal Links Dofollow Sydney Internal Links Dofollow Gallery Internal Links Dofollow Blog Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow Request a Quote Internal Links Dofollow Request a Quote Internal Links Dofollow Read more Internal Links Dofollow	
COMMERCIAL WATERPROOFING Internal Links Dofollow FOUNDATION WATERPROOFING Internal Links Dofollow INDOOR WATERPROOFING Internal Links Dofollow OUTDOOR WATERPROOFING Internal Links Dofollow PLANTER BOX WATERPROOFING Internal Links Dofollow RETAINING WALLS WATERPROOFING RESIDENTIAL WATERPROOFING Internal Links Dofollow ROOFTOP WATERPROOFING Internal Links Dofollow SWIMMING POOL WATERPROOFING Internal Links Dofollow Services Areas Internal Links Dofollow Sydney Internal Links Dofollow Gallery Internal Links Dofollow Blog Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow Request a Pool of Internal Links Dofollow Request a Quote Internal Links Dofollow Request a Quote Internal Links Dofollow Read more Internal Links Dofollow	
FOUNDATION WATERPROOFING INTERNAL Links Dofollow INDOOR WATERPROOFING Internal Links ODOFOLLOW OUTDOOR WATERPROOFING Internal Links DOFOLLOW PLANTER BOX WATERPROOFING Internal Links DOFOLLOW RETAINING WALLS WATERPROOFING RESIDENTIAL WATERPROOFING Internal Links DOFOLLOW ROOFTOP WATERPROOFING Internal Links DOFOLLOW SWIMMING POOL WATERPROOFING Internal Links DOFOLLOW Services Areas Internal Links DOFOLLOW Sydney Internal Links DOFOLLOW Gallery Internal Links DOFOLLOW Blog Contact us Internal Links DOFOLLOW REQUEST a Quote Internal Links DOFOLLOW GET IN TOUCH Internal Links DOFOLLOW COMMERCIAL INTERNAL LINKS DOFOLLOW READ MORE READ MORE INTERNAL LINKS DOFOLLOW READ MORE INTERNAL	
INDOOR WATERPROOFING OUTDOOR WATERPROOFING Internal Links ODfollow PLANTER BOX WATERPROOFING RETAINING WALLS WATERPROOFING RESIDENTIAL WATERPROOFING ROOFTOP WATERPROOFING Internal Links Nofollow SWIMMING POOL WATERPROOFING Internal Links Services Areas Internal Links Dofollow Sydney Internal Links Dofollow Gallery Internal Links Dofollow Blog Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow Commercial properties Read more Internal Links Dofollow Read more Internal Links Dofollow	
OUTDOOR WATERPROOFING PLANTER BOX WATERPROOFING RETAINING WALLS WATERPROOFING RESIDENTIAL WATERPROOFING ROOFTOP WATERPROOFING SWIMMING POOL WATERPROOFING Services Areas Internal Links In	
PLANTER BOX WATERPROOFING RETAINING WALLS WATERPROOFING RESIDENTIAL WATERPROOFING ROOFTOP WATERPROOFING SWIMMING POOL WATERPROOFING Services Areas Internal Links Dofollow Sydney Internal Links Dofollow Gallery Internal Links Dofollow Internal Links Dofollow Blog Contact us Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow Read more Internal Links Dofollow	
RETAINING WALLS WATERPROOFING RESIDENTIAL WATERPROOFING Internal Links Dofollow ROOFTOP WATERPROOFING Internal Links SWIMMING POOL WATERPROOFING Internal Links Sydney Internal Links Dofollow Sydney Internal Links Dofollow Gallery Internal Links Dofollow Internal Links Dofollow Internal Links Dofollow Blog Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow	
RESIDENTIAL WATERPROOFING ROOFTOP WATERPROOFING SWIMMING POOL WATERPROOFING Services Areas Internal Links Dofollow Sydney Internal Links Dofollow Gallery Internal Links Dofollow Blog Contact us Request a Quote Internal Links Dofollow GET IN TOUCH Commercial properties Read more Read more Read more Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow	
ROOFTOP WATERPROOFING SWIMMING POOL WATERPROOFING Services Areas Internal Links Dofollow Sydney Internal Links Dofollow Sydney Internal Links Dofollow Internal Links Dofollow Blog Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow Commercial properties Internal Links Dofollow Read more Internal Links Dofollow	
SWIMMING POOL WATERPROOFING Services Areas Internal Links Dofollow Sydney Internal Links Dofollow Gallery Internal Links Dofollow Internal Links Dofollow Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow Commercial properties Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow	
Services Areas Internal Links Dofollow Sydney Internal Links Dofollow Gallery Internal Links Dofollow Blog Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow commercial properties Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow	
Sydney Internal Links Dofollow Gallery Internal Links Dofollow Blog Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow commercial properties Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow	
Gallery Internal Links Dofollow Blog Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow commercial properties Internal Links Dofollow Read more Internal Links Dofollow	
Blog Internal Links Dofollow Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow commercial properties Internal Links Dofollow Read more Internal Links Dofollow	
Contact us Internal Links Dofollow Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow commercial properties Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow	
Request a Quote Internal Links Dofollow GET IN TOUCH Internal Links Dofollow commercial properties Internal Links Dofollow Read more Internal Links Dofollow	
GET IN TOUCH Internal Links Dofollow commercial properties Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow Internal Links Dofollow Read more Internal Links Dofollow	
commercial properties Internal Links Dofollow Read more Internal Links Dofollow	
Read more Internal Links Dofollow Read more Internal Links Dofollow Read more Internal Links Dofollow	
Read more Internal Links Dofollow Read more Internal Links Dofollow	
Read more Internal Links Dofollow	
Read more Internal Links Dofollow	
Read more Internal Links Dofollow	
All Services Internal Links Dofollow	
No Anchor Text Internal Links Dofollow	
Home Internal Links Dofollow	
About Us Internal Links Dofollow	
Services Areas Internal Links Dofollow	
Contact Us Internal Links Dofollow	
INDOOR WATERPROOFING Internal Links Dofollow	
1300 857 847 Internal Links Dofollow	
No Anchor Text External Links Dofollow	
No Anchor Text External Links Dofollow	



While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.





Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.

